

FCI-Standard N° 62/ 18.06.1996 / GB

COARSE-HAIRED STYRIAN HOUND

(Steirische Rauhaarbracke)



FACIAL REGION :

Nose : Black.

Muzzle: Strong and straight.

Lips : Not pendant.

Jaws/Teeth : Strong scissor bite. A complete set with 42 teeth is sought after; the absence of totally two PM1 or PM2 (premolar 1 or 2) is tolerated; the M3 (molar 3) are not taken into account.

Eyes : With brown iris.

Leathers : Not too large, lying flat, covered with fine hair.

NECK : Strong, not too long .

BODY :

Back : Straight and broad.

Loins : Moderately tucked up.

Croup : Falling away obliquely.

Chest : Deep and broad.

TAIL : Medium length, strong at root, well coated, never curled but carried upwards in slight sickle shape. Brush, with no plume, on underside.

LIMBS

FOREQUARTERS : Legs straight in position, muscular with good angulation.

Shoulders : Well laid back.

HINQUARTERS : Muscular, strong, well angulated. Straight position when seen from rear .

FEET : Not too large. Toes well arched, close together. Pads hard, not too large .

MOVEMENT : Ground covering, elastic.

COAT

HAIR : Rough coat, not shaggy, without gloss, harsh and coarse. Coat on head is shorter than on body, forms a moustache.

COLOUR : Red and fawn. White mark on chest permitted.

HEIGHT :

Height at withers : 45-53 cm

Dogs	47-53 cm
Bitches	45-51 cm.

FAULTS : Any departure from the foregoing points should be considered a fault and the seriousness with which the fault should be regarded should be in exact proportion to its degree and its effect upon the health and welfare of the dog.

- Head too fine.
- Leathers folded or too pointed.
- Tail too short, too thin or curled too much upwards, forming a plume.
- Weak legs.
- Coat too long, thin, curly or soft.
- Shy in temperament.

ELIMINATING FAULTS :

- Aggressiv oder ängstlich.
- Under or overshot mouth ; more than two premolars (PM1 or PM2) missing.
- Any colour other than mentioned in the standard.

Any dog clearly showing physical or behavioural abnormalities shall be disqualified.

N.B. : Male animals should have two apparently normal testicles fully descended into the scrotum.